

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (currently amended) An adjustable detergent dispenser for water cleaners, comprising:

at least three elements which can be assembled together, [[;]] the at least three elements being a body, an aspiration conduit and a container of a detergent; and

a radially-directed series of channels being afforded on [[an]] a flat upper part of a head of the aspiration conduit, the channels having different heights,

the aspiration conduit being connected to an expansion chamber of an ejector of the body through a hole and one of the variable-height channels fashioned radially on an upper head of the aspiration conduit,

the variable-height channels being interchangeable by means of a rotation of the head into at least one different position from an original position thereof with respect to the body of the dispenser.

2. (original) The dispenser of claim 1, wherein the upper part of the head (16) of the aspiration conduit is trunco-

cylindrically shaped and that elastic sealing means are provided thereon.

3. (currently amended) The dispenser of claim ~~[[1]]~~ 2, wherein a plate is provided at a base of the trunco-cylindrically shaped upper part, which plate exhibits in an upper portion thereof at least one tooth, and which plate is supported on assembly of the dispenser by an upper edge of a neck of the container.

4. (original) The dispenser of claim 1, wherein the container exhibits an upper neck provided with teeth suitable for achieving a bayonet joint, and with a collar for striking contact with the body of the dispenser.

5. (original) The dispenser of claim 1, wherein at least one tab is provided on the aspiration conduit; the tab being a radial position indicator.

6-7. (cancelled)

8. (new) An adjustable detergent dispenser for water cleaners, comprising:

a body with an ejector having an expansion chamber, the expansion chamber comprising an expansion chamber wall hole;

a detergent container; and

an aspiration conduit providing a fluid path for extracting detergent held within the detergent container into the expansion chamber,

the aspiration conduit comprising a radially-directed series of variable-height channels located on an uppermost horizontal surface of a head of the aspiration conduit,

the aspiration conduit being in fluid connection to the expansion chamber through the expansion chamber wall hole being in adjacent fluid connection with one of the variable-height channels of the aspiration conduit,

the variable-height channels being brought into the adjacent fluid connection with the expansion chamber wall hole by a rotation of the head, from an original position with respect to the body, into different positions with respect to the body.

9. (new) An adjustable detergent dispenser for water cleaners, comprising:

a body with an ejector having an expansion chamber, the expansion chamber comprising an expansion chamber wall hole extending through an outer wall of the expansion chamber;

a detergent container connected to the body; and

an aspiration conduit providing a fluid path for extracting detergent held within the detergent container into the expansion chamber,

the aspiration conduit comprising a radially-directed series of variable-height channels exposed on an uppermost horizontal surface of a head of the aspiration conduit,

the aspiration conduit being in fluid connection with the detergent container via the expansion chamber providing the fluid path through the expansion chamber wall hole being in fluid connection with a selectable one of the variable-height channels of the aspiration conduit,

the variable-height channels being selectable brought into the fluid connection with the expansion chamber wall hole by an angular rotation of the head with respect to the body to bring the expansion chamber wall hole adjacent a selected channel,

the uppermost horizontal surface of the head of the aspiration conduit coming into contact with the outer wall of the expansion chamber.